

Luxury Micro-Motion III Pushbuttons (Standard)

Spare Parts Leaflet


32-AAA23500BY

July 5, 2023 / Page 1 of 18

NOTE: All 24-volt type AAA23500BY MM-III pushbuttons superseded by the AAA23500CH type pushbutton. Refer to SPL 32-AAA23500CH.

All other voltage type AAA23500BY MM-III pushbuttons superseded by type AAA323DY pushbuttons. Refer to SPL 32-AAA323DY. Temporary exception is AAA23500BY101 pushbutton.

W/O VINTAGE



OTIS

This document does not contain any technical data subject to EAR or ITAR

SERVICE ENGINEERING
Otis Elevator Company
Bloomfield, Connecticut USA

Unpublished Work—© Otis Elevator Co.; 2023

32-AAA23500BY

History

Leaflet Description

This leaflet covers micro-motion III luxury pushbutton type AAA23500BY (standard).

Leaflet Revisions

Date Revised	SME	Reason for Revision
December 20, 2003	Lisa Mitchell	New SPL
December 18, 2007	Joseph Zych	Added new parts.
April 15, 2008	Joseph Zych	Removed type 3 buttons; revised voltage rating; added blue buttons.
May 1, 2008	Joseph Zych	Removed duplicate p/ns on p. 5; removed unavailable p/ns on p. 13.
October 14, 2008	Joseph Zych	Corrected errors on pp. 15–16.
June 10, 2009	Joseph Zych	All 24-volt AAA23500BY MM-III pushbuttons superseded by AAA23500CH MM-III pushbutton. Refer to SPL 32-AAA23500CH.
September 15, 2010	Joseph Zych	Add p/ns AAA23500BZ34–...BZ63 with bronze finish.
December 5, 2012	Joseph Zych	Add p/ns AAA23500BY199 and AAA23500BY200.
January 22, 2014	Joseph Zych	Moved AAA23500BZ buttons to SPL 31-AAA23500AM. Changed to component code 32.
June 1, 2022	Vadzim Fedarenka	Updated information throughout
April 19, 2023	Vadzim Fedarenka	Added AAA323DY button images on pp.3–18
June 21, 2023	Vadzim Fedarenka	Updated button type column name on pp. 4–18 and data in the columns; Updated ordering instructions on p. 3; Changed number of contacts for 120 V max buttons on p. 11
July 5, 2023	Vadzim Fedarenka	Revised p. 3

Related Drawings

Drawing No.	Title	Drawing No.	Title
AAA23500BY	Pushbutton, Luxury, Micro-Motion III	AAA23500BZ	Pushbutton, Vandal-Resistant, Micro-Motion III
AAA23500CH	Pushbutton, Luxury, Micro-Motion III	AAA323DY	Pushbutton, Luxury, Micro-Motion III

Related Documents

Document ID	Title
SPL 32-AAA23500CH	Pushbutton, Luxury Micro Motion III
SPL 32-AAA323DY	Pushbutton, Luxury Micro Motion III

Subject Matter Expert


Name	Department
Paul Anthony	OSC Service Engineering

About Spare Parts Leaflets...

This document lists the lowest replaceable units (LRUs) for the standard version of the product. The LRUs are chosen by a team of Otis associates representing engineering and manufacturing.

While goal of this document is to make parts identification as easy as possible, the document cannot be all-inclusive. Elevator and escalator contracts classified as "special" or "custom" are not addressed here. For such contracts, please refer to specified information, the contract folder, TIPs, Field Education Articles, Construction Letters, etc. for further information.



If you have any suggestions about this document, please contact the subject matter expert listed on this page.





1. AAA23500BY Micro-Motion III pushbuttons come with two types:
 - Type 1 pushbuttons are used with AMP connector.
 - Type 2 pushbuttons are used with screw connector.
2. AAA323DY Micromotion MM-III pushbuttons come with screw connector & 8-pin AMP connector.
3. Order FAA72N1 locking nut separately because it is not provided with buttons. Locking nut is required for replacement buttons as well.
4. The available five finishes are: FS4/SS4 (brushed ferritic stainless), SS8 (mirror stainless), BR7 (brushed brass), BR8 (mirror brass), and BT (gold satin MF4).
5. AAA174YL23 button adaptor harness may be needed when upgrading to new AAA323D_ 8-pin AMP pushbutton.


32-AAA23500BY

MM-III Pushbutton: Flat Flash

TARGET PROFILE	Type 1 AMP Connector	Type 2 Screw Connector
FLAT FLUSH		



AAA323DY





Target Profile	Voltage Rating	Button Connector Type	# of Contacts	LED Color	Ring Body Color	Target Finish	Part No.
Flat Flush	6 VDC	AMP	2	Red	Clear	FS4/SS4	AAA23500BY1 AAA323DY114111*
						SS8	AAA23500BY2 AAA323DY114121*
						BR7	AAA23500BY3 AAA323DY114131*
						BR8	AAA23500BY4 AAA323DY114141*
			FS4/SS4			AAA23500BY5 AAA323DY114111	
			SS8			AAA23500BY6 AAA323DY114121	
			BR7			AAA23500BY7 AAA323DY114131	
			BR8			AAA23500BY8 AAA323DY114141	
	12 VDC	AMP	2	Non-Illuminating	Yellow	FS4/SS4	AAA23500BY9 AAA323DY114712
						SS8	AAA23500BY10 AAA323DY114722
						BR7	AAA23500BY11 AAA323DY114732
						BR8	AAA23500BY12 AAA323DY114742
			FS4/SS4			AAA23500BY13 AAA323DY124111*	
			SS8			AAA23500BY14 AAA323DY124121*	
			BR7			AAA23500BY15 AAA323DY124131*	
			BR8			AAA23500BY16 AAA323DY124141*	

(Continue next page)

MM-III Pushbutton: Flat Flash



32-AAA23500BY


TARGET PROFILE		Type 1 AMP Connector	Type 2 Screw Connector	 8-Pin AMP Terminal		 Screw Terminal	
Target Profile	Voltage Rating	Button Connector Type	# of Contacts	LED Color	Ring Body Color	Target Finish	Part No.
Flat Flush	12 VDC	AMP	2	Red	Clear	FS4/SS4	AAA23500BY17 AAA323DY124111
						SS8	AAA23500BY18 AAA323DY124121
						BR7	AAA23500BY19 AAA323DY124131
						BR8	AAA23500BY20 AAA323DY124141
				Non-Illuminating	Yellow	FS4/SS4	AAA23500BY21 AAA323DY124712
						SS8	AAA23500BY22 AAA323DY124722
						BR7	AAA23500BY23 AAA323DY124732
						BR8	AAA23500BY24 AAA323DY124742
	24 VDC	AMP	N/A	Red	Clear	BR7	AAA23500BY25 AAA23500CH43
						BR8	AAA23500BY26 AAA23500CH44
				Green		BR7	AAA23500BY27 AAA23500CH45
						BR8	AAA23500BY28 AAA23500CH46
Blue				FS4/SS4		AAA23500BY187 AAA23500CH82	
				SS8		AAA23500BY188 AAA23500CH83	
BR7	AAA23500BY189 AAA23500CH84						

(Continued on next page)


MM-III Pushbutton: Flat Flush

32-AAA23500BY

TARGET PROFILE	Type 1 AMP Connector	Type 2 Screw Connector
FLAT FLUSH		



AAA323DY









Target Profile	Voltage Rating	Button Connector Type	# of Contacts	LED Color	Ring Body Color	Target Finish	Part No.				
Flat Flush	24 VDC	AMP	N/A	Blue	Clear	BR8	AAA23500BY190 AAA23500CH85				
				Non-Illuminating		BR7	AAA23500BY29 AAA23500CH47				
						BR8	AAA23500BY30 AAA23500CH48				
				White Opaque	BR7	AAA23500BY31 AAA23500CH49					
					BR8	AAA23500BY32 AAA23500CH50					
				30 VDC	Screw	1	Amber	White	Clear	FS4/SS4	AAA23500BY33 AAA23500CH31
										SS8	AAA23500BY34 AAA23500CH32
										BR7	AAA23500BY35 AAA23500CH33
	BR8	AAA23500BY36 AAA23500CH34									
	FS4/SS4	AAA23500BY37 AAA323DY141211									
	SS8	AAA23500BY38 AAA323DY141221									
	BR7	AAA23500BY39 AAA323DY141231									
	BR8	AAA23500BY40 AAA323DY141241									
	120 VAC	Screw	1	Amber	White	Clear	FS4/SS4	AAA23500BY41 AAA323DY151211			
							SS8	AAA23500BY42 AAA323DY151221			
							BR7	AAA23500BY43 AAA323DY151231			
BR8							AAA23500BY44 AAA323DY151241				

(Continued on next page)

32-AAA23500BY



MM-III Pushbutton: Flat Flush



TARGET PROFILE		Type 1 AMP Connector	Type 2 Screw Connector	AAA323DY			
FLAT FLUSH							
Target Profile	Voltage Rating	Button Connector Type	# of Contacts	LED Color	Ring Body Color	Target Finish	Part No.
Flat Flush	120 VAC	Screw	1	Amber	Clear	BR8	AAA23500BY44 AAA323DY151241
	120 VDC					FS4/SS4	AAA23500BY45 AAA323DY151211
						SS8	AAA23500BY46 AAA323DY151221
						BR7	AAA23500BY47 AAA323DY151231
	120 V Max					BR8	AAA23500BY48 AAA323DY151241
						FS4/SS4	AAA23500BY49 AAA323DY152711
						SS8	AAA23500BY50 AAA323DY152721
		BR7	AAA23500BY51 AAA323DY152731				
	6 V	AMP	2	White		BR8	AAA23500BY52 AAA323DY152741
						BT	AAA23500BY199 AAA323DY114651*

* 6 & 12VDC pushbuttons replaced by 2-contact AAA323DY buttons only; no 1-contact available.



MM-III Pushbutton: Flat Projecting

32-AAA23500BY

TARGET PROFILE	Type 1 AMP Connector	Type 2 Screw Connector
FLAT FLUSH		



AAA323DY







Target Profile	Voltage Rating	Button Connector Type	# of Contacts	LED Color	Ring Body Color	Target Finish	Part No.
Flat Projecting	6 VDC	AMP	2	Red	Clear	FS4/SS4	AAA23500BY53 AAA323DY214111*
						SS8	AAA23500BY54 AAA323DY214121*
						BR7	AAA23500BY55 AAA323DY214131*
						BR8	AAA23500BY56 AAA323DY214141*
			FS4/SS4			AAA23500BY57 AAA323DY214111	
			SS8			AAA23500BY58 AAA323DY214121	
			BR7			AAA23500BY59 AAA323DY214131	
			BR8			AAA23500BY60 AAA323DY214141	
	2	Non-Illuminating	Yellow	FS4/SS4	AAA23500BY61 AAA323DY214712		
				SS8	AAA23500BY62 AAA323DY214722		
				BR7	AAA23500BY63 AAA323DY214732		
				BR8	AAA23500BY64 AAA323DY214742		
	12 VDC	2	Red	Clear	FS4/SS4	AAA23500BY65 AAA323DY224111*	
					SS8	AAA23500BY66 AAA323DY224121*	
					BR7	AAA23500BY67 AAA323DY224131*	

(Continued on next page)


32-AAA23500BY

MM-III Pushbutton: Flat Projecting

TARGET PROFILE	Type 1 AMP Connector	Type 2 Screw Connector
FLAT FLUSH		



AAA323DY







Target Profile	Voltage Rating	Button Connector Type	# of Contacts	LED Color	Ring Body Color	Target Finish	Part No.	
Flat Projecting	12 VDC	AMP	2	Red	Clear	BR8	AAA23500BY68 AAA323DY224141*	
						FS4/SS4	AAA23500BY69 AAA323DY224111	
						SS8	AAA23500BY70 AAA323DY224121	
						BR7	AAA23500BY71 AAA323DY224131	
			BR8			AAA23500BY72 AAA323DY224141		
			FS4/SS4			AAA23500BY73 AAA323DY224712		
			SS8			AAA23500BY74 AAA323DY224722		
			BR7			AAA23500BY75 AAA323DY224732		
	BR8	AAA23500BY76 AAA323DY224742						
	24 VDC	AMP	N/A	2	Red	Clear	BR7	AAA23500BY77 AAA23500CH51
							BR8	AAA23500BY78 AAA23500CH52
				BR7	AAA23500BY79 AAA23500CH53			
				BR8	AAA23500BY80 AAA23500CH54			
				FS4/SS4	AAA23500BY194 AAA23500CH86			
				SS8	AAA23500BY192 AAA23500CH87			
Blue								

(Continued on next page)



32-AAA23500BY

MM-III Pushbutton: Flat Projecting

TARGET PROFILE	Type 1 AMP Connector	Type 2 Screw Connector
FLAT FLUSH		



AAA323DY









Target Profile	Voltage Rating	Button Connector Type	# of Contacts	LED Color	Ring Body Color	Target Finish	Part No.	
Flat Projecting	24 VDC	AMP	N/A	Blue	Clear	BR7	AAA23500BY193 AAA23500CH88	
						BR8	AAA23500BY194 AAA23500CH89	
						BR7	AAA23500BY81 AAA23500CH55	
						BR8	AAA23500BY82 AAA23500CH56	
				Non-Illuminating		White Opaque	BR7	AAA23500BY83 AAA23500CH57
							BR8	AAA23500BY84 AAA23500CH58
				White		Clear	FS4/SS4	AAA23500BY85 AAA23500CH35
							SS8	AAA23500BY86 AAA23500CH36
					BR7		AAA23500BY87 AAA23500CH37	
					BR8		AAA23500BY88 AAA23500CH38	
	FS4/SS4	AAA23500BY89 AAA323DY241211						
	SS8	AAA23500BY90 AAA323DY241221						
	Amber	Screw	1				BR7	AAA23500BY91 AAA323DY241231
							BR8	AAA23500BY92 AAA323DY241241
							FS4/SS4	AAA23500BY93 AAA323DY251211
							FS4/SS4	AAA23500BY93 AAA323DY251211
	120 VAC							

(Continued on next page)

MM-III Pushbutton: Flat Projecting

32-AAA23500BY



TARGET PROFILE		Type 1 AMP Connector	Type 2 Screw Connector				
FLAT FLUSH							
				8-Pin AMP Terminal	AAA323DY	Screw Terminal	
Target Profile	Voltage Rating	Button Connector Type	# of Contacts	LED Color	Ring Body Color	Target Finish	Part No.
Flat Projecting	120 VAC	Screw	1	Amber	Clear	SS8	AAA23500BY94 AAA323DY251221
						BR7	AAA23500BY95 AAA323DY251231
						BR8	AAA23500BY96 AAA323DY251241
	FS4/SS4					AAA23500BY93 AAA323DY251211	
	SS8					AAA23500BY98 AAA323DY251221	
	BR7					AAA23500BY99 AAA323DY251231	
	120 VDC		BR8	AAA23500BY100 AAA323DY251241			
			FS4/SS4	AAA23500BY101 AAA323DY255711**			
			SS8	AAA23500BY102 AAA323DY255721			
	120 V Max		BR7	AAA23500BY103 AAA323DY255731			
			BR8	AAA23500BY104 AAA323DY255741			
			BT	AAA23500BY200 AAA323DY214651*			
6 V	AMP	2	White				



* 6 & 12VDC pushbuttons replaced by 2-contact AAA323DY buttons only; no 1-contact available.

** available soon; ask Customer Service.



32-AAA23500BY

MM-III Pushbutton: Concave Flush

TARGET PROFILE	Type 1 AMP Connector	Type 2 Screw Connector
FLAT FLUSH		



AAA323DY







Target Profile	Voltage Rating	Button Connector Type	# of Contacts	LED Color	Ring Body Color	Target Finish	Part No.		
Concave Flush	6 VDC	AMP	2	Red	Clear	FS4/SS4	AAA23500BY105 AAA323DY314111*		
						SS8	AAA23500BY106 AAA323DY314121*		
						BR7	AAA23500BY107 AAA323DY314131*		
						BR8	AAA23500BY108 AAA323DY314141*		
			FS4/SS4			AAA23500BY109 AAA323DY314111			
			SS8			AAA23500BY110 AAA323DY314121			
			BR7			AAA23500BY111 AAA323DY314131			
			BR8			AAA23500BY112 AAA323DY314141			
	12 VDC	AMP	2	Non-Illuminating	Yellow	FS4/SS4	AAA23500BY113 AAA323DY314712		
						SS8	AAA23500BY114 AAA323DY314722		
						BR7	AAA23500BY115 AAA323DY314732		
						BR8	AAA23500BY116 AAA323DY314742		
			2			Red	Clear	FS4/SS4	AAA23500BY117 AAA323DY324111*
								SS8	AAA23500BY118 AAA323DY324121*
								BR7	AAA23500BY119 AAA323DY324131*

(Continued on next page)


MM-III Pushbutton: Concave Flush

32-AAA23500BY

TARGET PROFILE	Type 1 AMP Connector	Type 2 Screw Connector
FLAT FLUSH		



AAA323DY







Target Profile	Voltage Rating	Button Connector Type	# of Contacts	LED Color	Ring Body Color	Target Finish	Part No.		
Concave Flush	12 VDC	AMP	2	Red	Clear	BR8	AAA23500BY120 AAA323DY324141*		
						FS4/SS4	AAA23500BY124 AAA323DY324111		
						SS8	AAA23500BY122 AAA323DY324121		
						BR7	AAA23500BY123 AAA323DY324131		
			BR8			AAA23500BY124 AAA323DY324141			
			2			Non-Illuminating	Yellow	FS4/SS4	AAA23500BY125 AAA323DY324712
								SS8	AAA23500BY126 AAA323DY324722
								BR7	AAA23500BY127 AAA323DY324732
	BR8	AAA23500BY128 AAA323DY324742							
	24 VDC	AMP	N/A	Red	Clear	BR7	AAA23500BY129 AAA23500CH59		
						BR8	AAA23500BY130 AAA23500CH60		
				Green		BR7	AAA23500BY131 AAA23500CH61		
						BR8	AAA23500BY132 AAA23500CH62		
				Blue		FS4/SS4	AAA23500BY195 AAA23500CH90		
SS8						AAA23500BY196 AAA23500CH91			

(Continued on next page)



MM-III Pushbutton: Concave Flush

32-AAA23500BY

TARGET PROFILE	Type 1 AMP Connector	Type 2 Screw Connector
FLAT FLUSH		



AAA323DY




Target Profile	Voltage Rating	Button Connector Type	# of Contacts	LED Color	Ring Body Color	Target Finish	Part No.	
Concave Flush	24 VDC	AMP	N/A	Blue	Clear	BR7	AAA23500BY197 AAA23500CH92	
						BR8	AAA23500BY198 AAA23500CH93	
						BR7	AAA23500BY133 AAA23500CH63	
				Non-Illuminating		BR8	AAA23500BY134 AAA23500CH64	
						BR7	AAA23500BY135 AAA23500CH65	
						BR8	AAA23500BY136 AAA23500CH66	
	120 VAC	Screw	1	Amber	White	Clear	FS4/SS4	AAA23500BY137 AAA23500CH39
							SS8	AAA23500BY138 AAA23500CH40
							BR7	AAA23500BY139 AAA23500CH41
					BR8		AAA23500BY140 AAA23500CH42	
					FS4/SS4		AAA23500BY141 AAA323DY351211	
					SS8		AAA23500BY142 AAA323DY351221	
	120 VDC	Screw	1	Amber	Clear	BR7	AAA23500BY143 AAA323DY351231	
						BR8	AAA23500BY144 AAA323DY351241	
							FS4/SS4	AAA23500BY145 AAA323DY351211

(Continued on next page)

32-AAA23500BY

MM-III Pushbutton: Concave Flush







Target Profile	Voltage Rating	Button Connector Type	# of Contacts	LED Color	Ring Body Color	Target Finish	Part No.
Concave Flush	120 VDC	Screw	1	Amber	Clear	SS8	AAA23500BY146 AAA323DY351221
						BR7	AAA23500BY147 AAA323DY351231
						BR8	AAA23500BY148 AAA323DY351241
	120 V Max		FS4/SS4	AAA23500BY149 AAA323DY352711			
			SS8	AAA23500BY150 AAA323DY352721			
			BR7	AAA23500BY151 AAA323DY352731			
			BR8	AAA23500BY152 AAA323DY352741			
		2	Non-Illuminating				

* 6 & 12VDC pushbuttons replaced by 2-contact AAA323DY buttons only; no 1-contact available.



MM-III Pushbutton: Concave Projective

32-AAA23500BY

TARGET PROFILE	Type 1 AMP Connector	Type 2 Screw Connector
FLAT FLUSH		



AAA323DY







Target Profile	Voltage Rating	Button Connector Type	# of Contacts	LED Color	Ring Body Color	Target Finish	Part No.
Concave Projecting	6 VDC	AMP	2	Red	Clear	FS4/SS4	AAA23500BY153 AAA323DY414111*
						SS8	AAA23500BY154 AAA323DY414121*
						BR7	AAA23500BY155 AAA323DY414131*
			BR8			AAA23500BY156 AAA323DY414141*	
			FS4/SS4			AAA23500BY157 AAA323DY414111	
			SS8			AAA23500BY158 AAA323DY414121	
	12 VDC	AMP	2	Red	Clear	BR7	AAA23500BY159 AAA323DY414131
						BR8	AAA23500BY160 AAA323DY414141
						FS4/SS4	AAA23500BY161 AAA323DY424111*
			SS8			AAA23500BY162 AAA323DY424121*	
			BR7			AAA23500BY163 AAA323DY424131*	
			BR8			AAA23500BY164 AAA323DY424141*	
12 VDC	AMP	2	Red	Clear	FS4/SS4	AAA23500BY165 AAA323DY424111	
					SS8	AAA23500BY166 AAA323DY424121	
					BR7	AAA23500BY167 AAA323DY424131	

(Continued on next page)


32-AAA23500BY

MM-III Pushbutton: Concave Projecting

TARGET PROFILE	Type 1 AMP Connector	Type 2 Screw Connector
FLAT FLUSH		



AAA323DY




Target Profile	Voltage Rating	Button Connector Type	# of Contacts	LED Color	Ring Body Color	Target Finish	Part No.	
Concave Projecting	12 VDC	AMP	2	Red	Clear	BR8	AAA23500BY168 AAA323DY424141	
	24 VDC	AMP	N/A			Green	BR7	AAA23500BY169 AAA23500CH67
							BR8	AAA23500BY170 AAA23500CH68
				BR7			AAA23500BY171 AAA23500CH69	
				Non-Illuminating		BR8	AAA23500BY172 AAA23500CH70	
						BR7	AAA23500BY173 AAA23500CH71	
						BR8	AAA23500BY174 AAA23500CH72	
	120 VAC	Screw	1	Amber		FS4/SS4	AAA23500BY175 AAA323DY451211	
						SS8	AAA23500BY176 AAA323DY451221	
						BR7	AAA23500BY177 AAA323DY451231	
						BR8	AAA23500BY178 AAA323DY451241	
						FS4/SS4	AAA23500BY179 AAA323DY451211	
						SS8	AAA23500BY180 AAA323DY451221	
	120 VDC	Screw	1	Amber		BR7	AAA23500BY181 AAA323DY451231	
						BR8	AAA23500BY182 AAA323DY451241	

(Continued on next page)

MM-III Pushbutton: Concave Projecting

32-AAA23500BY



Target Profile	Voltage Rating	Button Connector Type	# of Contacts	LED Color	Ring Body Color	Target Finish	Part No.
Concave Projecting	120 V Max	Screw	2	Non-Illuminating	Clear	FS4/SS4	AAA23500BY183 AAA323DY452711
	120 V Max					SS8	AAA23500BY184 AAA323DY452721
						BR7	AAA23500BY185 AAA323DY452731
						BR8	AAA23500BY186 AAA323DY452741

* 6 & 12VDC pushbuttons replaced by 2-contact AAA323DY buttons only; no 1-contact available.